



HONDA[©] / ACURA[©] 1991 – 2011

OBDII / 3-pin connector, CAN / non-CAN protocol, Diagnosis / Data / Activation / Adaptation / Waveform / Immobilizer Key Learning

VERSION: 2011.12 DATE: Dec., 2011

MODELS EQUIPPED WITH OBD-II CONNECTOR 1997 – 2011 (CAN and non-CAN version)

SYSTEM	YEAR	DATA STREAM	READ CODE	CLEAR CODE	ACTIVATION	ADAPTATION
PGM-FI Petrol / Diesel Engines	1997 – 2011	~	~	~	~	
A/T Transmission	1997 – 2011	~	~	~	✓ (*12)	
SRS Airbag	1997 – 2011		~	~		✓ (note1)
ABS / VSA Vehicle Stability Assistant	1997 – 2011	~	~	~	~	
PSE Power Steering	1997 – 2011	~	~	~		∽ (*3)
Immobilizer						✓ (*2)
BODY Body Electrical	1997 – 2011	~	~	~	~	✓ (*13)
IMA Integrated Motor Assist, Hybrid System	1997 – 2011	~	~	~	✓ (*4)	
VTM-4 Variable Torque Management	1997 – 2011	~	~	✓	✓ (*5)	∽ (*6)
SH-AWD Super Handling All-Wheel-Drive	1997 – 2011	~	~	~		∽ (*7)
4WS 4-Wheel Steering Drive	1997 – 2011	~	~	~		∽ (*8)
TPMS Tire pressure monitoring	1997 – 2011	~	✓	✓		∽ (*9)
SMARTKEY Smart Key (Keyless)	1997 – 2011	✓	~	~	~ (*10)	

Specification



SYSTEM	YEAR	DATA STREAM	READ CODE	CLEAR CODE	ACTIVATION	ADAPTATION
POP-UP HOOD	1997 – 2011	~	~	~		
ACM Active Control Engine Mount	2006 – 2011	~	~	~		
Hydraulic Booster	1997 – 2011	~	\checkmark	✓		
CMBS Collision Mitigation Brake System	1997-2011	~	~	~		
ACC Adaptive Cruise Control	1997-2011	~	~	✓		
LKAS Control Lane Keeping Assist System	1997-2011	~	~	✓		
LKAS Camera Lane Keeping Assist Camera	1997-2011	~	~	~		
HONDA SMART PARKING	1997-2011	~	✓	✓		
NIGHT VISION	1997-2011	~	~	✓		
ATTS Active Torque Transfer System	1997-2011	~	✓	~		
I-SHIFT	2006-2011	~	✓	✓		
ACTIVE DAMPER SYSTEM	1997-2011	~	~	✓		
MultiView Camera	1997-2011	~	~	✓		
EPB Electric Powered Brake	1997-2011	~	~	~		
EVPS	1997-2011	~	✓	✓		
DIESEL	1997-2006	~	~	~		
SCS	1997 – 2005			✓		

NOTE 1: Only special SRS ECU has "Seat Weight Sensor Calibration" and "Occupant Position Detection Sensor" function. NOTE 2: iSCAN-II Supports TYPE 2A, 2B, 2C, 3, 4 and CAN. Supports TYPE3, the replacement of ECM/PCM, and the replacement of the IMMOBILIZER unit.

NOTE 3: Torque Sensor Learning

NOTE 4: Intellegent Power Module Fan Activation Test NOTE 5: Left / Right Clutch Solenoid Test

NOTE 6: VTM-4 Initialization

NOTE 7: Torque Sensor Setup / Differential Sensor Setup / All Sensors Setup

Specification



NOTE 8: Electric Nutral Relearing NOTE 9: Sensor ID Learing NOTE10: Intellegent Key Information NOTE11: Steering Angel Sensor / Yaw Sensor / Slide Sensor / All Sensors NOTE12: CVT Clutch Feedback Activation / Reverse Prohibit Solenoid Test NOTE13: BODY System: Service Reset for CVT Lubricant Oil in Gauge System



MODELS EQUIPPED WITH 3-PIN CONNECTOR 9/1991 - 2002

SYSTEM	YEAR	DATA STREAM	READ CODE	CLEAR CODE	ECU RESET
PGM-FI Engine	9/1991 – 2002	~	~	~	~
A/T Transmission	5/1993 – 2002	~	~	~	
SRS Airbag	9/1993 – 2002	~	~	~	
ABS / VSA Vehicle Stability Assistant	9/1995 – 2002		~	✓	

Note:

1. A/T system is supported from 1997 (except Integra is supported from May 1993)

2. Some of models like Civic, the Engine system combined with A/T system.

3. Models equipped with 3-Pin connector will up to 2002 in some countries.

The information contained herein is the exclusive property of Autoland Scientech[®] and shall not be distributed, reproduced, or disclosed in whole or in part without prior written permission of Autoland Scientech[®]. Autoland Scientech[®] reserve the right to make any change without notice. The trademarks mentioned belong to the owners.